

## Dosering av Biohumus Sweden™ Maskgödsel

Sweden			
Category Vegetables	Туре	Application and time	Application dose
With edable fruits	Tomato/Pepper/Eggplant	During soil preparation, scattering under the top soil	6-8 kg /100m <sup>2</sup>
	Squash/ Cucumber/Bush Beans/Green Peas Broad Beans/Bleck-eyed Peas/Okra/Pumpkin	On the seed bedding, nursing plant  Before planting, on a row planting application	5 kg/m <sup>2</sup> 5-7 kg /100m <sup>2</sup>
	Melon/Water Melon	After planting, application to roots in linear strokes	4-6 kg /100m²
With edable leaves	Cabbage/Spinach/Pursley/Chard/Lettuce	During soil preparation, scattering under the top soil	5-6 kg /100m <sup>2</sup>
	Brussel Sprouts/Cheese Flower Parsley/Roquette/Cress/Mint/Coriander/Chicory	On the seed bedding, nursing plant Before planting, on a row planting application	5 Kg/m <sup>2</sup>
	Parsiey/Roquette/Cress/Mint/Conlander/Cnicory	After planting, application to roots in linear strokes	4-5 kg /100m <sup>2</sup> 3-4 kg /100m <sup>2</sup>
With Edible Sprouts, Leaf Stalks, Flowers and Flower Pallets	Asparagus/Rhubarb/Celery Leaves & Stalks	During soil preparation, scattering under the top soil	5-7 kg /100m <sup>2</sup>
With Edible Sprodes, Edit Stalles, Fowers and Flower Falles	Artichoke/Cauli ower/Broccoli	On the seed bedding, nursing plant	5 Kg/m <sup>2</sup>
		Before planting, on a row planting application  After planting, application to roots in linear strokes	4-6 kg /100m <sup>2</sup>
		After planting, application to roots in linear strokes	3-5 kg /100m²
With Edible Dried or Fresh Seeds	Haricot Beans/Green Peas/Pinto Beans/Field Beans Black-Eyed Peas/Lentils/Chick-Peas/Sweet Corn	During soil preparation, scattering under the top soil Before planting, on a row planting application	5-7 kg /100m <sup>2</sup>
	black-Eyeu reas/ Lentils/Cilick-reas/ Sweet Com	After planting, application to roots in linear strokes	4-6 kg /100m <sup>2</sup> 3-5 kg /100m <sup>2</sup>
With Edible Bulbs and Carouts Tuberous Verestables Edible Boots	Carlie / Onione / Look /	During call proporation, coattering under the top call	
With Edible Bulbs and Sprouts, Tuberous Vegetables, Edible Roots	Garlic/ Onions/ Leek/ Potatoes/Sweet Potatoes/Sunroot	During soil preparation, scattering under the top soil	5-6 kg /100m <sup>2</sup>
FRUITS	Carrots/Radish/Beetroot/Turnip/Celery Roots	Before planting, on a row planting application	4-5 kg /100m <sup>2</sup>
With soft seeds	Apples/Pears/Quince/Hawthorn/Medlar/	Into the nursing plant bedding during planting, in direct contact with the	1,5-2 Kg / Nursing Plant
	Rowanberry/Rosehip (new planting)	plant roots	
	Apples/Pears/Quince/Hawthorn/Medlar/ Rowanberry/Rosehip	On the leaves, petal shadow projectons and roots, by opening a circular	Shadow Radius = Kg
	kowanberry/kosenip	hole 15cm wide and 15cm deep (wide as the shadow radius of the plant). If the shadow radius is 2m, 2Kg must be applied. A disc harrow may also	
		be used for application to the roots (same dosage applies).	
With Thick Skins	Almonds/Walnuts/Chestnut/Hazelnut/Pistachio with the plant roots	Into the nursing plant bedding during planting, in direct contact	1,5-2 Kg / Nursing Plant
	Almonds/Walnuts/Chestnut/HazeInut/Pistachio	On the leaves, petal shadow projectons and roots, by opening a circular	Shadow Radius = Kg
	Almonds/ Wallides/ Chestild/ Hazelide/ Pistachio	hole 15cm wide and 15cm deep (wide as the shadow radius of the plant).	Silduow Raulus – Rg
		If the shadow radius is 2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).	
Grape-like Fruits	Grapes/Kiwi/Mulberry/Fig/Pomegranate (new planting)	Into the nursing plant bedding during planting, in direct contact	1,5-2 Kg / vine
		with the plant roots	
	Grapes/Kiwi/Mulberry/Fig/Pomegranate	On the leaves, petal shadow projectons and roots, by opening a	Shadow Radius = Kg
		circular hole 15cm wide and 15cm deep (wide as the shadow radius of the plant). If the shadow radius is 2m, 2Kg must be	
		applied. A disc harrow may also be used for application to the roots (same dosage applies).	
	Raspberry/Blackberry (new planting)	Into the nursing plant bedding during planting, in direct contact with the plant roots	1,5-2 Kg / plant
	Raspberry/Blackberry/Strawberry	With a disc harrow or hoe for application to the roots.	1,5-2 Kg / plant
	naspoetty, successify successify	Into the nursing plant bedding before planting.	25-30 gr / nursing plant
CITRUS FRUITS	Oranges/Lemons/Tangerines/Grapefruits/ Mandarin	Into the nursing plant bedding during planting, in direct contact with the	1,5-2 Kg / Nursing Plant
	Oranges (new planting)	plant roots. On the leaves, petal shadow projectons and roots, by opening a circular hole 15cm wide and 15cm deep (wide as the shadow radius of	Shadow Radius = Kg
	Oranges/Lemons/Tangerines/Grapefruits/ Mandarin Oranges	the plant). If the shadow radius is 2m, 2Kg must be applied. A disc harrow	
MEDITTERANEAN FRUITS	Olives (new planting)	Into the nursing plant bedding during planting, in direct	1,5-2 Kg / Nursing Plant
MEDITERAREA TROTTS	Circu parking)	contact with the plant roots	2,5 £ ng / naising rain
	Olives	On the leaves, petal shadow projectons and roots, by	Shadow Radius = Kg
		opening a circular hole 15cm wide and 15cm deep (wide	
		as the shadow radius of the plant). If the shadow radius is 2m, 2Kg must be applied. A disc harrow may also be used	
		for application to the roots (same dosage applies).	
	Figs/Persimmon/Japanese Plum/Wild Apricots (new planting)	Into the nursing plant bedding during planting, in direct	1,5-2 Kg / Nursing Plant
		contact with the plant roots	
	Figs/Persimmon/Japanese Plum/Wild Apricots	On the leaves, petal shadow projectons and roots, by	Shadow Radius = Kg
	•	opening a circular hole 15cm wide and 15cm deep (wide	-
		as the shadow radius of the plant). If the shadow radius is 2m, 2Kg must be applied. A disc harrow may also be used	
	Bananas (new planting)	2m, 2Kg must be applied. A disc harrow may also be used	2-2,5 Kg/root
		2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting	
	Bananas	2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied to theroot growth area	3-4 Kg/tree
FIELD CROPS		2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting	
FIELD CROPS	Bananas	2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied to theroot growth area	3-4 Kg/tree
	Bananas  Wheat/Barley/Oat/Rye/Triticale/Millet/Corn	2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied to theroot growth area  Applied before planting under the top soil	3-4 Kg/tree 5-6 kg /100m2
INDUSTRIAL PLANTS	Bananas  Wheat/Barley/Oat/Rye/Triticale/Millet/Corn  Rice  Sun flowers/Soybeans/Canola/Peanuts/Sesame	2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied to theroot growth area  Applied before planting under the top soil  During soil preparation, scattering under the top soil on into pans  Applied before planting, scattering under the top soil	3-4 Kg/tree 5-6 kg /100m2 5-6 kg /100m2 6-7 kg /100m <sup>2</sup>
INDUSTRIAL PLANTS	Bananas  Wheat/Barley/Oat/Rye/Triticale/Millet/Corn  Rice	2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied to theroot growth area  Applied before planting under the top soil  During soil preparation, scattering under the top soil on into pans	3-4 Kg/tree 5-6 kg /100m2 5-6 kg /100m2
FIELD CROPS  INDUSTRIAL PLANTS  MEDICAL, AROMATIC AND PLEASURE PLANTS	Bananas  Wheat/Barley/Oat/Rye/Triticale/Millet/Corn  Rice  Sun flowers/Soybeans/Canola/Peanuts/Sesame	2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied to theroot growth area  Applied before planting under the top soil  During soil preparation, scattering under the top soil on into pans  Applied before planting, scattering under the top soil  Applied before planting, scattering under the top soil  Into the nursing plant bedding during planting, in direct	3-4 Kg/tree 5-6 kg /100m2 5-6 kg /100m2 6-7 kg /100m <sup>2</sup>
INDUSTRIAL PLANTS	Bananas  Wheat/Barley/Oat/Rye/Triticale/Millet/Corn  Rice  Sun flowers/Soybeans/Canola/Peanuts/Sesame  Anise/Cumin/Thyme/Sage/Lavander  Tea/Bay/Hop (new planting)	2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied to theroot growth area  Applied before planting under the top soil  During soil preparation, scattering under the top soil on into pans  Applied before planting, scattering under the top soil  Applied before planting, scattering under the top soil  Into the nursing plant bedding during planting, in direct contact with the plant roots	3-4 Kg/tree 5-6 kg /100m2 5-6 kg /100m2 6-7 kg /100m <sup>2</sup> 5-6 kg /100m2 1,5-2 Kg/root
INDUSTRIAL PLANTS	Bananas  Wheat/Barley/Oat/Rye/Triticale/Millet/Corn  Rice  Sun flowers/Soybeans/Canola/Peanuts/Sesame  Anise/Cumin/Thyme/Sage/Lavander	2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied to theroot growth area  Applied before planting under the top soil  During soil preparation, scattering under the top soil on into pans  Applied before planting, scattering under the top soil  Applied before planting, scattering under the top soil  Into the nursing plant bedding during planting, in direct	3-4 Kg/tree 5-6 kg/100m2 5-6 kg/100m2 6-7 kg/100m <sup>2</sup> 5-6 kg/100m2
INDUSTRIAL PLANTS MEDICAL, AROMATIC AND PLEASURE PLANTS	Bananas  Wheat/Barley/Oat/Rye/Triticale/Millet/Corn  Rice  Sun flowers/Soybeans/Canola/Peanuts/Sesame  Anise/Cumin/Thyme/Sage/Lavander  Tea/Bay/Hop (new planting)	2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied to theroot growth area  Applied before planting under the top soil  During soil preparation, scattering under the top soil on into pans  Applied before planting, scattering under the top soil  Applied before planting, scattering under the top soil  Into the nursing plant bedding during planting, in direct contact with the plant roots	3-4 Kg/tree 5-6 kg /100m2 5-6 kg /100m2 6-7 kg /100m <sup>2</sup> 5-6 kg /100m2 1,5-2 Kg/root
INDUSTRIAL PLANTS  MEDICAL, AROMATIC AND PLEASURE PLANTS  MEADOW, PASTURE and FORAGE PLANTS / ALFALFA	Bananas  Wheat/Barley/Oat/Rye/Triticale/Millet/Corn  Rice  Sun flowers/Soybeans/Canola/Peanuts/Sesame  Anise/Cumin/Thyme/Sage/Lavander  Tea/Bay/Hop (new planting)  Tea/Bay/Hop	2 m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied before planting under the top soil  During soil preparation, scattering under the top soil on into pans  Applied before planting, scattering under the top soil  Applied before planting, scattering under the top soil  Into the nursing plant bedding during planting, in direct contact with the plant roots  Applied by scattering  Applied before planting, scattering under the top soil	3-4 Kg/tree 5-6 kg /100m2 5-6 kg /100m2 6-7 kg /100m2 5-6 kg /100m2 1,5-2 Kg/root 4-5 Kg/root 4-5 kg/100m2
INDUSTRIAL PLANTS  MEDICAL, AROMATIC AND PLEASURE PLANTS  MEADOW, PASTURE and FORAGE PLANTS / ALFALFA	Bananas  Wheat/Barley/Oat/Rye/Triticale/Millet/Corn Rice  Sun flowers/Soybeans/Canola/Peanuts/Sesame  Anise/Cumin/Thyme/Sage/Lavander  Tea/Bay/Hop (new planting)  Tea/Bay/Hop  Cut Flowers	2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied to theroot growth area  Applied before planting under the top soil  During soil preparation, scattering under the top soil on into pans  Applied before planting, scattering under the top soil  Applied before planting, scattering under the top soil  Into the nursing plant bedding during planting, in direct contact with the plant roots  Applied before planting, scattering under the top soil  Applied before planting, scattering under the top soil	3-4 Kg/tree 5-6 kg /100m2 5-6 kg /100m2 6-7 kg /100m <sup>2</sup> 5-6 kg /100m2 1,5-2 Kg/root 4-5 Kg/root
INDUSTRIAL PLANTS  MEDICAL, AROMATIC AND PLEASURE PLANTS  MEADOW, PASTURE and FORAGE PLANTS / ALFALFA	Bananas  Wheat/Barley/Oat/Rye/Triticale/Millet/Corn  Rice  Sun flowers/Soybeans/Canola/Peanuts/Sesame  Anise/Cumin/Thyme/Sage/Lavander  Tea/Bay/Hop (new planting)  Tea/Bay/Hop	2 m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied before planting under the top soil  During soil preparation, scattering under the top soil on into pans  Applied before planting, scattering under the top soil  Applied before planting, scattering under the top soil  Into the nursing plant bedding during planting, in direct contact with the plant roots  Applied by scattering  Applied before planting, scattering under the top soil	3-4 Kg/tree 5-6 kg /100m2 5-6 kg /100m2 6-7 kg /100m2 5-6 kg /100m2 1,5-2 Kg/root 4-5 Kg/root 4-5 kg/100m2
INDUSTRIAL PLANTS	Bananas  Wheat/Barley/Oat/Rye/Triticale/Millet/Corn Rice  Sun flowers/Soybeans/Canola/Peanuts/Sesame  Anise/Cumin/Thyme/Sage/Lavander  Tea/Bay/Hop (new planting)  Tea/Bay/Hop  Cut Flowers	2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied to theroot growth area  Applied before planting under the top soil  During soil preparation, scattering under the top soil on into pans  Applied before planting, scattering under the top soil  Applied before planting, scattering under the top soil  Into the nursing plant bedding during planting, in direct contact with the plant roots  Applied before planting, scattering under the top soil  Mixed into to pot soil with a rate of 40-50% (soil and/or leaf	3-4 Kg/tree 5-6 kg /100m2 5-6 kg /100m2 6-7 kg /100m <sup>2</sup> 5-6 kg /100m2 1,5-2 Kg/root 4-5 Kg/root 4-5 kg /100m2
INDUSTRIAL PLANTS  MEDICAL, AROMATIC AND PLEASURE PLANTS  MEADOW, PASTURE and FORAGE PLANTS / ALFALFA	Bananas  Wheat/Barley/Oat/Rye/Triticale/Millet/Corn Rice  Sun flowers/Soybeans/Canola/Peanuts/Sesame  Anise/Cumin/Thyme/Sage/Lavander  Tea/Bay/Hop (new planting)  Tea/Bay/Hop  Cut Flowers  Decorative Plants	2m, 2Kg must be applied. A disc harrow may also be used for application to the roots (same dosage applies).  Applied to the plant bedding during planting  Applied before planting under the top soil  During soil preparation, scattering under the top soil on into pans  Applied before planting, scattering under the top soil  Applied before planting, scattering under the top soil  Into the nursing plant bedding during planting, in direct contact with the plant roots  Applied before planting, scattering under the top soil	3-4 Kg/tree 5-6 kg /100m2 5-6 kg /100m2 6-7 kg /100m2 5-6 kg /100m2 1,5-2 Kg/root 4-5 Kg/root 4-5 kg /100m2